

Wet Cleaning®

Using water to take care of delicate garments



DRY TO DRY PROCESS

DOMUS

Wet Cleaning Process: PRE-SPOTTING - WASHING - DRYING - FINISHING 3 The Wet Cleaning system brings back the cleanliness and freshness to the most delicate garments, with the use of water. 1 Q.

Wet Cleaning ®



Thanks to our constant development we got the best washing, drying and finishing programs, especially thought for clothes which need the best treatment.



Professional Wet Cleaning



Delicate Wet Cleaning




Verv delicate Wet Cleaning

Wet Cleaning[™]

The optimal and balanced process for the professional washing SUCCESS

Sinner diagram



The best solution for its efficacy

80%

Nowadays 80% of stains are soluble in water (Wet Cleaning concept).


Then...

Wet Cleaning

Why is the market still using machines which are only prepared to clean 20% of stains?

The solution is Wet Cleaning.





4

Only 20% of stains are not soluble in water (Dry Cleaning concept).

All type of garments		
TYPE OF STAIN	DRY CLEANING	WET CLEANING
Sweat	2	5
Proteins	1	5
Grease	5	4
Body odors	1	5
Shrinking	3,5	3

DRY vs WET comparison in most common stains. 1=bad result / 5= excellent result

5

DOMUS

60%



nin	a (Ŵ										
	9	PLACE	GOAL	DAILY GAR- MENTS	WASHER MODEL	DOMUS KIT	KG	DRYER MODEL	CYCLE GARMENTS	DAILY CYCLES	MACHINE FREE FOR OTHER USES	ADVANTAGES
	PROFESSIONAL KIT	Small shops	Dry cleaning substitution Wet cleaning beginner	66	HPW-8 TOUCH II	KIT 8	5	HPD-8 Touch II	7	9	55%	Very low investment Ideal kit for beginners Low operation costs Perfect for small production
		Small shops	Dry cleaning substitution Additional machinery Wet cleaning beginner	83	HPW-10 TOUCH II	KIT 10	6	HPD-10 TOUCH II	9	9	55%	Very low investment Ideal kit for beginners Low operation costs Ideal for doing only Wet C
	INDUSTRIAL KIT	Small shops	Dry cleaning substitution	129	DHS-11 TOUCH II	KIT 11	6	DTT-11	9	14	30%	Low investment Shops with small Wet Clea long hours Flexibility Compromise flexibility vs
		Medium size shops New shops	Dry cleaning substitution New shop	168	DHS-14 TOUCH II	KIT 14	8,5	DTT-18	12	14	30%	Perfect pack for shops (We A good solution for bedsp large garments Versatile
		Medium size shops (Shopping centre) New shops	Dry cleaning substitution New shop	233	DHS-18 TOUCH II	KIT 18	11	DTT-23	17	14	30%	Perfect pack for shops (We Productivity Able to wash large covers
		Large shops (Shopping centre)	Dry cleaning substitution Large shop Big potential, important growth	323	DHS-27 TOUCH II	KIT 27	16,5	DTT-28	23	14	30%	Perfect pack for large shop normal garments) Wet Cleaning productivity Laundry productivity
		Laundries Large shops (Shopping centre)	Factories	452	DHS-36 TOUCH II	KIT 36	22	DTT-36	32	14	30%	Perfect pack for laundries normal garments) Wet Cleaning productivity Laundry productivity

Important icons for Wet Cleaning



Emptying with

stopped drum

Filling with stopped drum



LIQUID DOSING


30

Dosing at the right time, with the necessary amount, gives us security during the process and homogeneity in the result. And the most important thing: tranquility.

8 dosis signals as standard + 6 extra signals (dosing time, delay, start selection) for all models.



TOTAL CONTROL WITH TOUCH II Easy programming through icons, with touchscreen directly on the machine or with the computer and Wash Control software.



WATER RE-CYCLE

Optional kit to increase the care of the linen: recirculation of the bath water, which increases the water flow with chemicals, shortens the cycle and improves the effectiveness without mechanical action.




100

20-30'

WASHING

1

DRYING >



15-22'

DRYING

60'

DRY TO DRY

IN 1 HOUR

Temperature sensor IN

Temperature sensor OUT

Humidity sensor

ction batches

Cleaning

Cleaning batches but working

vs production

(Wet cleaning and normal garments) dspreads, covers and other

(Wet cleaning and normal garments)

ers

hops (Wet cleaning and

vity

es (Wet cleaning and

vity






TEMPERATURE CONTROL

Temperature and air-flow control result in the perfect drying for delicate garments. The humidity sensor helps to shorten the drying process, thus ensuring the appropriate humidity level for the subsequent ironing of garments.

ECOENERGY

Ø AIR RE-CYCLE SEFFICIENT DRY 𝒮 THERMAL INSULATION 𝔆 FULL FLOW SFEX 🧭



Wet Cleaning∞

WASHERS Heavy professional and industrial

DOMUS heavy professional and industrial washers with new TOUCH II microprocessor (and software) offer a user-friendly and ideal programming for Wet Cleaning system.

All models, from 8 to 120kg, are equipped with outstanding features like drum and tub in stainless steel, Hot & Cold Mix (automatic water mixing), Efficient Drum to improve the mechanical action, etc.

HPW-8/10

HPD-8/10

.....

.....

DHS-14 ECO-ENERGY

DTT-18 ECO-ENERGY

DRYERS Heavy professional and industrial

DOMUS heavy professional and industrial dryers with new TOUCH II microprocessor offer a variety of ranges and capacities from 8 to 80kg.

The ECO-ENERGY rane is equipped with ideal features to ensure the best results: Air Re-cycle (air recovery), with an intelligent humidity sensor, panels and air circuit with thermal insulation, stainless steel drum, reversing drum, Soft Dry: stamped holes in the drum to take care of delicate garments.

STACK The professional duo

The easiest and most economical way to get started in the Wet Cleaning process. STACK is the most accessible solution of Wet Cleaning for 8 and 10 kg machines, that is to say, 4.5 and 6 kg of delicate garments.

As well as industrial machines, STACK includes easy programming TOUCH II control to obtain a better functionality and performance.

HPW-8 + HPD-8TOUCH II

ECOTANK Water recovery tanks

Perfect system to recover water and chemicals from the diferent washing phases. We can premix chemicals with water before its use.



ECOTANK

Mannequins

Automated working cycles. Electronic card. Possibility to set nine different cycles, and regulation of steaming and drying time. Adjustable shoulder width and height of the dummy. Rotation 360° of dummy support (frame) and controls.

MAC-COAT-C without boiler - to be connected to a central steam supply. For the finishing of coats and similars.

TABLES Finishing

VACUUM, UP-STEAMING AND BLOWING IRONING TABLES Available either with built-in electric steam boiler and vacuum unit, or to be connected to an external steam and vacuum supply. It can be supplied in the following versions:

TPC – VBA: with built-in steam boiler of 7 litres-capacity, with standard board (1200 x 400 x 250 mm). TP – VBA: without boiler, with standard ironing board (1200 x 400 x 250 mm).

Topper

Finishing topper for trousers with air-operated waistband and leg stretching device, for central steam and compressed air supply.

Side waistband stretching device. Height adjustable leg stretching carriage and stainless steel leg clamps. Built-in threephase fan; air heating device. Electronic card for the setting of nine ironing cycles in total. Ironing cycle controlling: steaming time, steam/air time, drying time. Three pressure regulators (for leg clamps, waistband stretcher and leg stretching carriage). Switch for the exclusion of the leg stretching carriage. Manual size indicator. Mechanical airflow regulator.

.....



RECOVERY TANK



STEAM GENERATOR



TPC-VBA WITH LIGHTING

.....



TP-VBA



TOPPER-C

Wet Cleaning®

Application fields

HOTEL INDUSTRY: UNIFORMS CUSTOMER GARMENTS





0

0



0

0

10





CARE HOMES

0

Ø

. 🍳 🖸 DOMUS

BOARDING SCHOOLS

0







A DRY CLEANER'S

For more information please check our brochures or datasheets, available at our website.

www.domuslaundry.com



0







C. Energia, 12 - Pol. Ind. La Quintana 08504 Sant Julià de Vilatorta BARCELONA (SPAIN)

SALES DEPARTMENT

T. +34 93 812 27 96 M. +34 649 482 730 F. +34 93 888 76 63 domus@domuslaundry.com export@domuslaundry.com AFTER SALES DEPARTMENT

T. +34 93 888 76 73 F. +34 93 888 76 63 sat@domuslaundry.com PARTS DEPARTMENT

T. +34 93 888 76 83 F. +34 93 888 76 63 parts@domuslaundry.com





CE



ONNERA GROUP